

Application No. 10/576,969
Amendment dated November 17, 2008
Reply to Office Action of August 15, 2008

Amendments to the Specification:

Please replace the paragraph beginning at page 10, line 11, with the following rewritten paragraph:

The compositions according to the present invention may also be used ~~fore~~ for the preparation of ~~composition~~ compositions useful to curatively or preventively treat human and animal fungal diseases such as, for example, mycoses, dermatoses, trichophyton diseases and candidiases or diseases caused by Aspergillus spp., for example Aspergillus fumigatus.

Please replace the paragraph beginning at page 13, line 1, with the following rewritten paragraph:

A synergy of the above mixture is also demonstrated when data are analyzed according to Colby method. Following Table 4 presents the results obtained based on using the Colby method for evaluating the synergy of the mixture of compound Ia with tolylfluanid according to the invention. Practical efficacy is superior to theoretical efficacy showing the synergism of the fungicide compositions containing compounds Ia and tolylfluanid at ratios equal to 1/5, 1/6.67 and 1/10.

Application No. 10/576,969
Amendment dated November 17, 2008
Reply to Office Action of August 15, 2008

| TABLE 3 TABLE 4 | | | | | | | | | | | | |
|---|-----|-----|-----|-------|------|------|-------|------|------|------|------|------|
| Synergism according to Colby method between compound Ia and tolylfluanid on vine downy mildew | | | | | | | | | | | | |
| Dose of compound Ia (mg/l) | 75 | 75 | 75 | 50 | 50 | 25 | 25 | 25 | 12.5 | 12.5 | 12.5 | 1.56 |
| Dose of tolyfluanid tolylfluanid (mg/l) | 750 | 500 | 375 | 333.3 | 250 | 250 | 166.6 | 125 | 125 | 83.3 | 62.5 | 7.8 |
| Practical efficacy (%) | 99 | 99 | 99 | 97 | 94.4 | 93.2 | 92.7 | 83.8 | 77.2 | 60.8 | 65.8 | 11.4 |
| Theoretical efficacy (%) | 95 | 96 | 94 | 93 | 81 | 81 | 30 | 30 | 30.4 | 34.2 | 6.1 | 3.8 |